

COUNTY PROFILE: Wayne County, Tennessee

US COUNTY PERFORMANCE

The Institute for Health Metrics and Evaluation (IHME) at the University of Washington analyzed the performance of all 3,142 US counties or county-equivalents in terms of life expectancy at birth, mortality rates for select causes, alcohol use, smoking prevalence, obesity prevalence, and recommended physical activity using novel small area estimation techniques and the most up-to-date county-level information.

Explore more results using the interactive US Health Map data visualization (<http://vizhub.healthdata.org/subnational/usa>).

FINDINGS: LIFE EXPECTANCY

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	78.6	78.9	81.5	2418	+0.9
Male	72.9	73.7	76.7	2542	+5.8

life expectancy at birth (years), 2014

Fig. 1: Female life expectancy, 2014





Fig. 2: Male life expectancy, 2014



FINDINGS: ALL-CAUSE MORTALITY

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	828.2	811.8	667.8	2408	+3.8
Male	1183.0	1148.8	930.1	2466	-19.0

rate per 100,000 population, age-standardized, 2014

Fig. 3: Female all-cause mortality, 2014





Fig. 4: Male all-cause mortality, 2014



FINDINGS: ISCHEMIC HEART DISEASE

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	193.5	151.3	124.9	2835	-30.2
Male	290.5	241.0	191.5	2836	-45.2

rate per 100,000 population, age-standardized, 2014

Fig. 5: Female ischemic heart disease, 2014





Fig. 6: Male ischemic heart disease, 2014



FINDINGS: CEREBROVASCULAR DISEASE (STROKE)

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	55.3	58.3	47.4	2001	-36.5
Male	62.9	62.0	48.8	2563	-41.6

rate per 100,000 population, age-standardized, 2014

Fig. 7: Female cerebrovascular disease (stroke), 2014





Fig. 8: Male cerebrovascular disease (stroke), 2014



FINDINGS: TRACHEAL, BRONCHUS, AND LUNG CANCER

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	57.7	54.7	43.8	2502	+139.6
Male	116.6	98.5	67.6	2853	-11.7

rate per 100,000 population, age-standardized, 2014

Fig. 9: Female tracheal, bronchus, and lung cancer, 2014





Fig. 10: Male tracheal, bronchus, and lung cancer, 2014



FINDINGS: BREAST CANCER

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	25.7	27.9	25.9	1538	-8.9
Male	0.3	0.4	0.3	1696	-8.3

rate per 100,000 population, age-standardized, 2014

Fig. 11: Female breast cancer, 2014





Fig. 12: Male breast cancer, 2014



FINDINGS: MALIGNANT SKIN MELANOMA

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	2.4	2.0	1.9	2366	-4.1
Male	5.9	5.3	4.5	2635	+43.3

rate per 100,000 population, age-standardized, 2014

Fig. 13: Female malignant skin melanoma, 2014





Fig. 14: Male malignant skin melanoma, 2014



FINDINGS: DIABETES, UROGENITAL, BLOOD, AND ENDOCRINE DISEASES MORTALITY

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	70.8	61.3	49.6	2573	+89.3
Male	85.1	74.2	63.8	2571	+83.7

rate per 100,000 population, age-standardized, 2014

Fig. 15: Female diabetes, urogenital, blood, and endocrine diseases mortality, 2014





Fig. 16: Male diabetes, urogenital, blood, and endocrine diseases mortality, 2014



FINDINGS: SELF-HARM AND INTERPERSONAL VIOLENCE MORTALITY

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	11.7	11.6	9.0	2316	+41.3
Male	40.6	38.9	30.9	2435	+25.1

rate per 100,000 population, age-standardized, 2014

Fig. 17: Female self-harm and interpersonal violence mortality, 2014





Fig. 18: Male self-harm and interpersonal violence mortality, 2014



FINDINGS: TRANSPORT INJURIES MORTALITY

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	19.7	12.1	8.1	2649	-16.3
Male	36.5	28.8	19.8	2089	-40.9

rate per 100,000 population, age-standardized, 2014

Fig. 19: Female transport injuries mortality, 2014





Fig. 20: Male transport injuries mortality, 2014



FINDINGS: MENTAL AND SUBSTANCE USE DISORDERS MORTALITY

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	12.7	12.4	8.2	2591	+1014.7
Male	19.1	22.9	18.7	2115	+318.9

rate per 100,000 population, age-standardized, 2014

Fig. 21: Female mental and substance use disorders mortality, 2014





Fig. 22: Male mental and substance use disorders mortality, 2014



FINDINGS: CIRRHOSIS AND OTHER CHRONIC LIVER DISEASES MORTALITY

Sex	Wayne County	Tennessee	National	National rank	% change 1980-2014
Female	13.1	13.5	11.8	1810	+77.4
Male	25.0	26.7	22.2	2009	+27.1

rate per 100,000 population, age-standardized, 2014

Fig. 23: Female cirrhosis and other chronic liver diseases mortality, 2014





Fig. 24: Male cirrhosis and other chronic liver diseases mortality, 2014



FINDINGS: HEAVY DRINKING

Sex	Wayne County	Tennessee	National	National rank	% change 2005-2012
Female	1.7	4.0	6.7	78	+18.9
Male	8.0	7.0	9.9	587	+31.3

prevalence (%), age-standardized, 2012

Fig. 25: Female heavy drinking, 2012





Fig. 26: Male heavy drinking, 2012



FINDINGS: BINGE DRINKING

Sex	Wayne County	Tennessee	National	National rank	% change 2002-2012
Female	5.0	7.9	12.4	142	+72.4
Male	15.7	17.4	24.5	132	+26.9

prevalence (%), age-standardized, 2012

Fig. 27: Female binge drinking, 2012





Fig. 28: Male binge drinking, 2012



FINDINGS: SMOKING

Sex	Wayne County	Tennessee	National	National rank	% change 1996-2012
Female	27.0	22.1	17.9	2812	-1.9
Male	31.8	25.9	22.2	2938	-6.2

prevalence (%), age-standardized, 2012

Fig. 29: Female smoking, 2012





Fig. 30: Male smoking, 2012



FINDINGS: OBESITY

Sex	Wayne County	Tennessee	National	National rank	% change 2001-2011
Female	40.1	39.9	36.1	1949	+14.8
Male	38.4	36.1	33.8	2020	+18.0

prevalence (%), age-standardized, 2011

Fig. 31: Female obesity, 2011





Fig. 32: Male obesity, 2011



FINDINGS: RECOMMENDED PHYSICAL ACTIVITY

Sex	Wayne County	Tennessee	National	National rank	% change 2001-2011
Female	38.6	39.9	52.6	2904	+17.8
Male	45.4	46.7	56.3	2813	+8.8

prevalence (%), age-standardized, 2011

Fig. 33: Female recommended physical activity, 2011





Fig. 34: Male recommended physical activity, 2011



CITATION:

Institute for Health Metrics and Evaluation (IHME),
US County Profile: Wayne County, Tennessee.
Seattle, WA: IHME, 2016.

Institute for Health Metrics and Evaluation
2301 Fifth Ave., Suite 600
Seattle, WA 98121 USA

Telephone: +1-206-897-2800
E-mail: engage@healthdata.org
www.healthdata.org

