

Health and wellness insights United States

## Key findings

- 1. Life satisfaction and general health: 63.9% of respondents in the United States were satisfied or very satisfied with life in general. In addition, 74.1% reported having good, very good, or excellent health.
- 2. Access to health care: 27% of people in the United States were unable to receive treatment some or all of the times they needed care. The most common reason was inability to pay.
- 3. Vaccine confidence: In the United States, only 38.4% of adults feel vaccines are safe, effective, important for children, important for adults, and compatible with their personal beliefs.
- 4. Childhood vaccines: The most common reason for not vaccinating children aged 6 years and under in the United States was "I did not want my child to be vaccinated." Among these parents, 66.3% were worried about possible side effects.
- 5. Education: 19.4% of individuals aged 5–25 years who attended school before the COVID-19 pandemic were no longer in school at the time of the survey. The most common reasons were having already graduated (48.8%) and having to leave school to work (11.4%).
- 6. Economic and food security: 28.6% of people in the United States reported that their current household income was lower than before the COVID-19 pandemic. Moreover, 16.0% of people reported sometimes or often not having enough to eat due to a lack of money (67.9%).
- 7. Trust in organizations: Health professionals were the most trusted organization in the United States, while the national government was the least trusted.

## Background

These findings provide a valuable snapshot of the challenges faced by the United States in terms of public health, economic security, and trust in institutions. Policymakers can use this information to address these issues, such as improving access to health care, increasing vaccine confidence through better information dissemination, supporting education, and tackling economic and food insecurity. The survey is part of a collaboration between the Institute for Health Metrics and Evaluation (IHME), Meta, LMU Munich, and University of Maryland. Between March and May 2023, more than 621,000 people aged 18 years and older from 21 countries participated in the survey sharing their perception of the pandemic's impact and where they stand now. 10,629 people responded in the US.



Health and wellness insights **United States** 

## Why are these findings important?

- This comprehensive survey provides timely and significant insights into global public health, making it a pivotal tool in gathering valuable data.
- The findings yield policy-relevant data on economic, health, and behavioral indicators from each participating country, equipping health leaders with critical insights.
- By complementing findings from the Global Burden of Disease study, this survey offers a holistic snapshot of a country's health and well-being through self-reported data.

A note on methods and data availability: Survey respondents were invited to participate via advertisements on Facebook. A subset of aggregate survey results is publicly available via the PRS Data Visualization Tool. Additional methodological details regarding how the survey was designed and how data were collected and analyzed are available here. All results shown in this report are weighted estimates of the true population proportions.

Countries surveyed are Argentina, Brazil, Chile, Colombia, Egypt, Germany, India, Indonesia, Italy, Japan, Mexico, Nigeria, Peru, the Philippines, Poland, South Africa, Spain, Türkiye, the United Kingdom, the United States, and Viet Nam.

Countries were selected based on population, Facebook user activity, and public health priorities.

## Survey sample demographics from the United States

- Overall sample size: 10,629 people.
- Gender: 41.3% identified as male, 56.6% as female, and 0.9% as non-binary. The remaining 1.2% of respondents either skipped or selected prefer not to respond for the gender question.
- Age: 16.0% were aged 18–29, 45.6% were aged 30–49, and 38.4% were aged 50+.
- Education: 7.5% indicated primary school or less as the highest level of education, 37.8% said secondary or trade school, and 54.8% indicated university or graduate studies.
- Household: 29.3% live in an urban setting, 26.3% rural, and 44.4% suburban.




Health and wellness insights United States

## Summary of findings

#### Life satisfaction and general health

- Life satisfaction is closely tied to health, finances, and overall well-being. 63.9% of respondents in the United States were either satisfied or very satisfied with life in general.
- When asked about their health in general, 74.1% of respondents reported having good, very good, or excellent health.




A bar graph showing the percentage of people in 21 countries who were either satisfied or very satisfied with life. Viet Nam was the lowest at 39.6%, Egypt was the highest at 79.6%, and United States was 63.9%. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

#### Access to health care

- In the US, 27% of people were unable to receive treatment some or all of the times they needed care.
- The most common reason for not receiving care in the US was inability to pay.

How does United States compare: Delayed health care

Proportion of respondents with health conditions who needed, but did not receive health care.




A bar graph showing the percentage of people in 21 countries who needed care for a health condition, but did not receive it. Japan was the lowest at 12.8%, Viet Nam was the highest at 73.3%, and United States was 26.9%. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.



#### Vaccine confidence


Overall, results indicate that vaccine confidence is a cause for concern. In the US, 38.4% of adults feel
vaccines are safe, effective, important for children, important for adults, and compatible with their personal
beliefs. Across all countries, vaccine confidence was 30.5%.



A bar graph showing the percentage of people in 21 countries who said yes to whether vaccines are safe, effective, important for children and adults, and compatible with personal beliefs. South Africa was the lowest at 10.6%, Germany was the highest at 44%, and United States was 38.4%. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

#### **Childhood vaccines**

- The survey identified several common barriers to vaccine uptake in the US. Among parents of children aged 6 years and under who have not received all routine childhood vaccinations recommended for their age, the most cited reason was "I did not want my child to be vaccinated."
- Among parents who did not want their child to be vaccinated, the most common reason was "I am worried about possible side effects" (66.3%).




How does United States compare: Routine childhood vaccines

A bar graph showing the percentage of people in 21 countries who said that their child under 6 was fully vaccinated. Indonesia was the lowest at 47.6%, Italy is the highest at 83.6%, and United States was 74.8%. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.



#### Education

- Among individuals aged 5–25 years who attended school during the six months prior to the COVID-19 pandemic (June–December 2019), 19.4% were no longer in school at the time of the survey. The most common reasons were having already graduated (48.8%) and having to leave school to work (11.4%).
- Among respondents in the US, 21.8% of students exhibited reading ability that was lower or much lower than expected, and 27.7% of students exhibited math skills that were lower or much lower than expected.




A bar graph showing the percentage of students in 21 countries who reported lower math skills than expected. Japan was the lowest at 21%, Turkiye was the highest at 50%, and United States was 28%. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

## Economic and food security

- In the US, 28.6% of people reported their current household income was lower than before the COVID-19 pandemic.
- 16.0% of people in the US reported sometimes or often not having enough to eat. The most common barrier to food security in the US was a lack of money (67.9%).

How does United States compare: Food insecurity

Proportion of respondents who reported sometimes or often not having enough food to eat.



A bar graph of the percentage of people in 21 countries who reported sometimes or often not having enough food to eat. Germany was the lowest at 11%, Nigeria vas the highest at 50.9%, and United States was 16%. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.



Health and wellness insights United States

#### **Trust in organizations**

- Respondents answered questions about how much they trusted governmental and other organizations. Response options were "extremely trustworthy," "very trustworthy," "neither trustworthy nor not trustworthy," "not very trustworthy," and "not trustworthy at all."
- Respondents in the US considered health professionals to be the most trustworthy organization at 63.9% and considered national government the least trustworthy, with 34.2% saying that they were not trustworthy.

How does United States compare: Trust in national government Proportion of respondents who reported that the national government was very or extremely trustworthy. 100% 58.7% 75% 7.3% 19.6% 50% Nam neu. 25% /iet | 0% ↓ United States South Atrica colombia Metico Viet Nam Brazil TUNKING EGYPT Philippir

A bar graph showing the percentage of people in 21 countries who felt that the national government was either very or extremely trustworthy. Japan was the lowest at 7.3%, Viet Nam was the highest at 58.7%, and United States was 19.6%. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.




## 1. Life satisfaction and general well-being

This section includes how satisfied people are with their life and how they rate their general health.

Figure 1.1 Life satisfaction Survey respondents were asked how satisfied they were with their life in general. Response options included *very satisfied, satisfied, neither satisfied nor unsatisfied, unsatisfied, or very unsatisfied.* In general, life satisfaction increases with age.

United States: Life satisfaction by age

How satisfied are you with your life?




A bar graph of the proportion of people in age groups 18-29 years, 30-49 years, and 50+ years who were either 'satisfied or very satisfied,' 'neither satisfied nor unsatisfied,' or 'unsatisfied or very unsatisfied' with life. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

# Figure 1.2 General health Survey respondents were asked to rate their overall health. Response options included *excellent health, very good health, good health, fair health, or poor health.*

#### United States: General health by age

How would you rate your health?



A bar graph of the proportion of people in age groups 18-29 years, 30-49 years, and 50+ years who either had 'Excellent or very good health,' 'Good health,' or 'Fair or poor health.' Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.



## 2. Access to health care and support

This section summarizes who delayed seeking medical care during the pandemic and why. It also includes the type of health care support respondents sought and whether it satisfied their needs.

Figure 2.1 Delayed care for existing health conditions, by age and gender. Survey respondents who reported currently needing care for or information about one or more health conditions were asked about their ability to receive care for their condition(s) during the last six months. The figure illustrates the proportion of individuals, by age and gender, who were unable to receive treatment at least some of the time. Proportions are shown with respect to each age/gender group.

United States: Delayed health care by age and gender

Respondents who needed care but did not receive it all or some of the time.

Did not receive care Received care sometimes, but not every time

	Female					Male					
18-29 years -	25.1%	þ	19.	5%							
30-49 years -	14.7%	13.5%			_	23	.8%		9.9%		
50+ years -	5.7% 6.3%					11.9%	7.5%				
0.0	% 10.0%	20.0%	30.0%	40.0%	0.0%	10.0%	% 20	.0%	30.0%	40.0%	

A bar graph showing the proportion of male and female respondents who experienced delayed health care in age groups 18-29 years, 30-49 years, and 50+ years. Categories with fewer than 50 responses are not shown. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

Figure 2.2 Barriers to receiving treatment for existing health conditions. Survey respondents who reported currently needing care for or information about one or more health conditions were asked about their ability to receive care for their condition(s) during the last six months. Respondents who reported that they were unable or only sometimes able to receive care were asked to describe the barriers they encountered. Respondents were allowed to select more than one response. Responses shown are weighted estimates of the true population proportions.


Reasons you were unable to receive treatment for your condition(s)



tegories with insufficient sample size to report include: Partner or family does not approve. Health facility barriers include: health facility closed/not accessible, turned away from health facility, and treatment/tests unavailable



Figure 2.3 Availability of support for health conditions. Respondents with a history of at least one health condition who reported seeking support (informational, emotional, financial, spiritual, or social) for their condition(s) were asked about their ability to find support that met their needs.




#### United States: Access to health care support

A bar graphs of the proportion of respondents with health conditions who either found or did not find the support they needed. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

Figure 2.4 Sources of support for health conditions, by availability. Respondents who reported seeking support for their health condition(s) were asked about the resources they utilized (A) and the types of support they sought out (B). Respondents were allowed to select more than one response.

#### Where health care was sought by need



Categories with insufficient sample size to report include: Support groups (in person), Community organization, Religious organization.

#### Types of health care support sought by need







Figure 2.5 History of preventive care, by service. Participants were asked about their history of preventive health services. The response options provided were customized to each respondent's reported age and gender. Proportions shown for hearing care and colonoscopy are expressed among individuals aged 40 and older, whereas those for sexual and reproductive health care are represented out of individuals aged 39 and younger Proportions shown for history of mammogram and Pap smear are represented out of all non-male (female + non-binary) respondents.

United States: Percentage of respondents who have never received types of preventive care



A bar graph showing the proportion of respondents who have never received each type of routine health care service. Proportions reflect the population which the service is offered. Proportions of mammogram and pap smear are out of all non-male respondents. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

Figure 2.6 Barriers to receiving preventive care. Respondents who attempted to procure a preventive service but were unsuccessful some or all of the time were asked to describe the barriers they encountered. Respondents were allowed to select more than one response.

#### United States: Reasons for not receiving preventive health care



Health facility barriers include: health facility closed/not accessible, turned away from health facility, and treatment/tests unavailable


IHME Health and wellness insights **United States** 

## 3. COVID-19 vaccinations and vaccine confidence

This section summarizes the COVID-19 vaccination status of respondents by age, gender, and education as well as their feelings toward vaccines in general.

#### Figure 3.1 Number of COVID-19 vaccines by age and gender

United States: COVID-19 vaccination status by age and gender




A bar graph showing the proportion of male and female respondents who have received 0, 1-2, or 3+ COVID-19 vaccinations in age groups 18-29 years, 30-49 years, and 50+ years. Categories with fewer than 50 responses not shown. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

#### Figure 3.2 Number of COVID-19 vaccines by education

United States: COVID-19 vaccination status by education level

Number of COVID-19 vaccines 3+ 1 - 2 0



A bar graph showing the proportion of respondents who have received 0, 1-2, or 3+ COVID-19 vaccinations by their education level. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

FINDINGS FROM THE PANDEMIC RECOVERY SURVEY




Health and wellness insights United States

Figure 3.3 Vaccine confidence Respondents were asked to report whether they feel vaccines are safe, effective, important for children, important for adults, and compatible with their personal beliefs.

#### United States: Vaccine confidence

Are vaccines safe, effective, important for children and adults, and compatible with your personal beliefs?



A bar graph showing the proportion of respondents who said yes, sometimes, or no to whether vaccines were safe, effective, important for adults, important for children, and compatible with their personal beliefs. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

## Figure 3.4 Vaccine confidence by age Respondents were asked to report whether they feel vaccines are safe, effective, important for children, important for adults, and compatible with their personal beliefs.

United States: Vaccine confidence by age

Are vaccines safe, effective, important for children and adults, and compatible with your personal beliefs?

	Yes Sometimes No										
	18-29	years	30-49 yea	rs	50+ years						
Important for children	63.2%	25.3% <mark>11.6%</mark>	67.8%	23.2% <mark>9.1%</mark>	73.2%	18.8% <mark>8%</mark>					
Compatible with beliefs	53.4%	24.4% 22.1%	61.8%	21.7% 16.5%	63.2%	22.2% 14.6%					
Important for adults	59.5%	28.1% 12.4%	61.6%	30.1% <mark>8.3%</mark>	65.8%	26% 8.2%					
Safe	51.5%	36% 12.5%	58%	31.6% <mark>10.5%</mark>	64.3%	25.9% <mark>9.8%</mark>					
Effective	48.8%	39.2% 12%	55.9%	35.8% <mark>8.3%</mark>	62.2%	29.7% <mark>8.2%</mark>					
09	% 50	% 100	<b>%</b> 50%	100%	<b>‰</b> 50%	100%					

A bar graph showing the proportion of respondents in age groups 18-29 years, 30-49 years, and 50+ years who said yes, sometimes, or no to whether vaccines were safe, effective, important for adults, important for children, and compatible with their personal beliefs. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.




## 4. Childhood vaccines

This section was asked of respondents who were parents of a child under the age of 6. Findings describe the vaccination status as well as reasons for not having a child who is fully vaccinated.

Figure 4.1 Child vaccination status. Data were collected from survey respondents regarding the youngest child in the household aged 6 years or younger. Caregivers were asked to report if that child was up to date on routine immunizations and whether they intended to vaccinate that child in the future.

United States: Childhood vaccines

Is your child fully vaccinated?




A bar graph showing the proportion of respondents who are caregivers of a child under 6 who reported their child being up to date on routine vaccines or not. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

# Figure 4.2 Child vaccination status and intent to vaccinate in future. Data were collected from survey respondents regarding the youngest child in the household aged 6 years or younger. Caregivers were asked to report if that child was up to date on routine immunizations and whether they intended to vaccinate that child in the future.

United States: Intent to vaccinate child in the future by current vaccination status

Is your child fully vaccinated and do you intend to vaccinate them in the future?



Do you intend to vaccinate your child in the future?

A bar graph showing the proportion of respondents who are caregivers of a child under 6 years who reported their child being up to date on vaccinations or not and the proportion of those respondents who intend to vaccinate their child in the future. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.




Figure 4.3 Barriers to routine childhood vaccinations. Parents/caregivers whose youngest child had not received all recommended routine immunizations for their age were asked to describe the barriers encountered and reasons they did not want their child vaccinated. Respondents were allowed to provide more than one response.

United States: Barriers to vaccination among caregivers of children who are not fully immunized



Categories with insufficient sample size to report include: Shortage of vaccines, Partner or family disapprove, Health facility closed or inaccessible, Could not find or afford transportation, Could not afford vaccine.


#### United States: Reasons caregivers did not want their child to be vaccinated



Categories with insufficient sample size to report include: Vaccines are against my religious beliefs, Partner or family disapprove, I do not have enough information, I don't think vaccines are beneficial, Vaccines are not easily available or affordable, I prefer alternative remedies, Other.

#### Figure 4.4 Child's routine vaccination status by parent's COVID-19 vaccination status.

#### United States: Child vaccination status by parent COVID-19 vaccination status



A bar graph showing the proportion of respondents who are parents of a child under 6 and reported that their child is up to date on routine vaccinations as well as the COVID-19 vaccination status of the parent. Categories with fewer than 50 responses are not shown. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.



Health and wellness insights United States


## 5. Education

This section summarizes the impact of the COVID-19 pandemic on schooling in United States. Respondents with at least one member of the household aged 5–25 years who attended school during the six months prior to the pandemic (June–December 2019) were asked to respond about the schooling of the oldest member of the household meeting those criteria. In some cases, this could be the respondent themself.

Figure 5.1 Proportion of students who left school during the pandemic, by pre-pandemic grade level. This does not include students who left school because they graduated. Percentages are expressed out of the total number of students in each pre-pandemic grade level.

Besides graduating, the most common reason for students leaving school during the pandemic was that they could no longer afford school.


United States: Students who left school during the pandemic, by pre-pandemic grade level



Categories that have fewer than 50 responses include: primary school, post-graduate studies Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

Figure 5.2 Gender breakdown of students who stopped attending school during the pandemic, excluding those who graduated. Proportions are expressed out of the total number of students who were enrolled in school during the six months prior to the COVID-19 pandemic but were no longer in school at the time of the survey, having left for some reason other than graduating.


#### United States: Gender of students who left school during the COVID-19 pandemic



A bar graph of the proportion of students in each gender who left school during the COVID-19 pandemic. Non-binary students are not reported in this plot due to insufficient sample size. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.




Figure 5.3 Change in academic skills. Respondents with at least one person in their household who was enrolled in school prior to the pandemic and aged less than 25 years were asked about the oldest person in their household meeting these criteria. In some cases, that person could be the respondent themself. Respondents were asked to evaluate the current math and reading skills of this person in relationship to before the pandemic.



A bar graph showing the proportion of students whose math skills are much lower, lower, as xpected, higher, or much higher than expected following the COVID-19 pandemic. Data are from expected, higher, or much higher than expected following the COVID-19 pandemic. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

#### Figure 5.4 Change in math skills by household financial status.

United States: Change in math and reading skills by household financial status



A bar graph showing the proportion of students who experienced higher or lower than expected math or reading skills by their household financial status. Financial statusis defined by monthly household expenses being difficult, easy, or neither easy nor difficult. Some categories have been suppressed due to small sample size. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/1/0700.


100



## 6. Food and financial security

This section summarizes which groups were most financially impacted by the pandemic in United States.

Figure 6.1 Change in income by age and gender. Respondents were asked to compare their current household income to their household income prior to the COVID-19 pandemic.




United States: Change in income by age and gender

A bar graph showing the proportion of male and female respondents in each age group that has a household income that is either higher, lower, or about the same as before the COVID-19 pandemic. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.


Figure 6.2 Responding to lower income. Survey respondents who reported that their current household income was lower than before the COVID-19 pandemic were asked what action, if any, they have taken in response. Respondents who reported reduced spending were then asked to provide more information about which expenses were reduced.

#### United States: Response to lower income



Categories that have fewer than 50 responses include: primary school, post-graduate studies Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

# United States: Among individuals who reported reduced spending, which expenses have been reduced?




Categories that have fewer than 50 responses include: primary school, post-graduate studies Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.



Health and wellness insights United States

Figure 6.3 Food insecurity. Respondents were asked about the foods eaten in their household during the last 30 days. Those who responded that they did not have enough food or the kind of food they wanted were then asked the reasons.


United States: Household food insecurity Food eaten in household in the last 30 days



A bar graph showing the proportion of respondents who, in the last 30 days, either had sometimes or often not enough food to eat, enough but not the kinds that they want, or enough food of the kind they wanted to eat. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.

#### Figure 6.4 Reasons for food insecurity.

#### United States: Reasons for not having enough food to eat



Categories that have fewer than 50 responses include: primary school, post-graduate studies Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700.



Health and wellness insights United States

## 7. Trust in organizations


This section describes how respondents feel about governmental, international, and other organizations or groups.

Figure 7.1 Trust in organizations. Respondents answered questions about how much they trusted governmental and other organizations. Response options were "extremely trustworthy," "very trustworthy," "neither trustworthy nor not trustworthy," "not very trustworthy," and "not trustworthy at all."

Respondents in the US considered health professionals to be the most trustworthy organization at 61.9% and considered national government the least trustworthy, with 49% saying that they were not trustworthy.

#### United States: Trust in organizations

Respondents answered whether they felt each organization was trustworthy or not.



A bar graph showing the proportion of respondents who felt that each organization was either trustworthy or very trustworthy, not very trustworthy or not at all trustworthy, or neither trustworthy nor untrustworthy. Data are from the Pandemic Recovery Survey. For more information, visit www.healthdata.org/node/10700. Figure updated 10/5/2023.



Health and wellness insights United States

## For more information:

PRS website: <u>https://www.healthdata.org/research-analysis/health-policy-planning/evaluations/pandemic-recovery-survey</u>

Visualization tool: https://vizhub.healthdata.org/pandemic-recovery-survey

Microdata download: https://healthsurveys.umd.edu

## List of Figures:

- Figure 1.1 Life satisfaction
- Figure 1.2 General health
- Figure 2.1 Delayed care for existing health conditions, by age and gender
- Figure 2.2 Barriers to receiving treatment for existing health conditions
- Figure 2.3 Availability of support for health conditions
- Figure 2.4 Sources of support for health conditions, by availability
- Figure 2.5 History of preventive care, by service
- Figure 2.6 Barriers to receiving preventive care
- Figure 3.1 Number of COVID-19 vaccines by age and gender
- Figure 3.2 Number of COVID-19 vaccines by education level
- Figure 3.3 Vaccine confidence
- Figure 3.4 Vaccine confidence by age
- Figure 4.1 Child vaccination status
- Figure 4.2 Child vaccination status and intent to vaccinate in future
- Figure 4.3 Barriers to routine childhood vaccinations
- Figure 4.4 Child's routine vaccination status by parent's COVID-19 vaccination status
- Figure 5.1 Proportion of students who left school during the pandemic, by pre-pandemic grade level
- Figure 5.2 Gender breakdown of students who stopped attending school during the pandemic, excluding those who graduated
- Figure 5.3 Change in academic skills
- Figure 5.4 Change in math skills by household financial status
- Figure 6.1 Change in income by age and gender
- Figure 6.2 Responding to lower income
- Figure 6.3 Food insecurity
- Figure 6.4 Reasons for food insecurity
- Figure 7.1 Trust in organizations

## Citation:

Haensch, A., Kreuter, F., La Motte-Kerr, W., Li, Y., Stewart, K., Weber, W., Zins, S., Castro, E., Deen, A., Ewald, L. M., Gakidou, E., Gillespie, C. W., Huntely, B. M., Mokdad, A. H., Bellettiere, J., Farag, T. H., Lee, K., & Palani, S. (2023). Pandemic Response Survey. The University of Maryland. Retrieved from https://healthsurveys.umd.edu