

COSTA RICA

Costa Rica school survey performance indicators



1 knowledge of contraceptives at facilities, 2 receiving sexual and reproductive health counseling, 3 identification of four STI symptoms, 4 identification of methods to reduce risk of STIs, 5 knowledge of proper use of contraceptive methods, 6 receiving contraceptive methods in EBAIS when requested, 7 satisfaction with care received in EBAIS, 8 use of modern contraceptive methods




UNIVERSIDAD DI COSTA RICA


Baseline findings

2**N**'

88% of sexually active students reported using contraceptives.



Activity flowchart



Total data collected

Household and school surveys - baseline only

	Intervention	Control
Censuses	69,273	21,260
Households	15,584	4,641
Women	20,796	3,818
Children	17,780	5,225
Students	924	-

Health facility surveys

Heal

Med

	Baseline		18-month
	Intervention	Control	Intervention
lth facilities	365	114	379
lical records	6,735	2,365	11,273

Regional success stories from SM2015 interventions


Data from facilities eligible for baseline and 18-month performance indicators

Baseline


18-month follow-up



Availability of functional equipment: stethoscope for child care




Availability of functional equipment: standing scale



All data from direct observations on the day of the survey.

Availability of functional equipment: lamp for pelvic exam



100 80 Percent (%) 60 40 20 0 Belize El Salvador Guatemala Honduras Mexico Nicaragua Panama

Availability of pharmacy inputs: oral rehydration salts

Availability of pharmacy inputs: albendazole / mebendazole



* Baseline value for El Salvador considers only albendazole